



**RETRACTABLE TARPS** P/L

Let us help you cover your load

28-30 Terrence Road Brendale QLD 4500

PO Box 5623, Brendale QLD 4500

Phone 07 3889 9611, Fax 07 3889 9622

Email: sales@retractabletarps.com.au

## HOOD TARP ORDER FORM

Customer: \_\_\_\_\_ Date: \_\_\_\_\_  
 Address: \_\_\_\_\_ Phone: \_\_\_\_\_  
 \_\_\_\_\_ Fax: \_\_\_\_\_

Contact: \_\_\_\_\_ Order/Rego No: \_\_\_\_\_ Email: \_\_\_\_\_

### HOOD TYPE

- 60 % Quarry Spec
  - Mesh
  - PVC
- 80 % Waterproof –PVC
  - Roll up flap with ropes and rubber rings
- Asphalt Spec – Canvas (Black)

### BODY TYPE

- Rigid Truck
- Dog Trailer
- Semi

Brand of Body: \_\_\_\_\_

### TAILGATE

- Two Way Gate
- Forward Hinged
- Rear Top Hinged
- Other: \_\_\_\_\_

### COLOUR SELECTION

(Circle one of the Following)

**Mesh:** Black, Maroon, Green, Red, Light/Dark Blue, Terracotta, Grey, HiVis Orange\*, HiVis Green\*

\*Surcharge Applies

**PVC:** Black, Red, White, Grey, Blue, Maroon, Green, Yellow

### WIND OUT STYLE

- Dual Cable (Shaft Driven)
- Single Cable (Wire driven)

**Note: Please use other forms provided for Full Waterproof and/or Pull-out Tarp systems**

### BOW SELECTION



#### Quarry Bows

- 150 mm
- 350 mm
- 450 mm
- 500 mm

#### Excavation Bows

- 350 mm
- 450 mm
- 600 mm
- 300 mm\*

\*(Narrow Body 1900 – 2100mm)

### OPERATING REQUIREMENTS

#### Dual Cable

#### Drive Method


- Belt Driven
- Chain Driven

#### Electric System

- 12 Volt
- 24 Volt
- Manual Override

### REQUIRED DIMENSIONS

- A Inner Width Front \_\_\_\_\_
- B Inner Width Rear \_\_\_\_\_
- C Outer Width Front \_\_\_\_\_
- D Outer Width Rear \_\_\_\_\_
- E Total Length \_\_\_\_\_
- F Headboard to Hinge \_\_\_\_\_
- G Side Height \_\_\_\_\_
- H Hoist Height above rail \_\_\_\_\_
- I Rear Post Width \_\_\_\_\_
- J Hoist Width at rail \_\_\_\_\_
- K Hoist Depth at rail \_\_\_\_\_
- L Hoist Top Width \_\_\_\_\_
- M Hoist Top Depth \_\_\_\_\_
- N Headboard Height \_\_\_\_\_
- Required Tarp Length (From Front of Bin) \_\_\_\_\_



\*Note all tarps are custom made to fit the provided measurements, therefore their accuracy is your responsibility. If you have any questions regarding this form, please contact our head office.

Please draw any additional details that may be required on the figure.