




# SERVICE BODY PULL-OUT ORDER FORM

Customer: \_\_\_\_\_ Date: \_\_\_\_\_  
 Address: \_\_\_\_\_ Phone: \_\_\_\_\_  
 \_\_\_\_\_ Fax: \_\_\_\_\_  
 \_\_\_\_\_ Order/Rego No: \_\_\_\_\_  
 Email: \_\_\_\_\_

*\*Note all tarps are custom made to fit the provided measurements, therefore their accuracy is your responsibility. If you have any questions regarding this form, please contact our head office.*



## REQUIRED INFORMATION

### DIMENSIONS

A – Width between cabinets \_\_\_\_\_  
 B – Cabinet length \_\_\_\_\_  
 C – Height of cabinets \_\_\_\_\_  
 D – Tray length \_\_\_\_\_  
 E – Tray width \_\_\_\_\_

### ADDITIONAL DETAILS

- 2 Eyelets standard, (1 per side)
- Custom Eyelet Configuration (Please Specify)

Number Per Side: \_\_\_\_\_ Spacing: \_\_\_\_\_

- Tarp Material
- Quarry Mesh
  - PVC
  - Asphalt Spec Canvas

### NOTE

- Minimum Width of unit **980 mm**
- For units under **1350 mm** (Overall width), maximum tarp length is **3000 mm**
- Supporting bows not supplied
- Heavier material options (PVC/CANVAS) may affect spring performance